



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/687,092	10/12/2000	Andrew E. Blau	CA9-1998-0006	9550

7590 05/09/2005

David A. Mims, Jr.  
International Business Machines Corporation  
Intellectual Property Law Department  
Internal Zip 4054, 11400 Burnet Road  
Austin, TX 78758

EXAMINER
----------

CHUONG, TRUC T

ART UNIT	PAPER NUMBER
----------	--------------

2179

DATE MAILED: 05/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER
----------

ART UNIT	PAPER
----------	-------

04/25/05

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

The Examiner has created a new set of claims, incorporating the errors detailed in the Order Returning Undocketed Appeal to the Examiner dated 04/25/05 (See Attached)

  
HEATHER R. HERNDON  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100

1. A method for managing compiler error messages, comprising the steps of:
  - displaying a compiler error message having a separate empty error file to a user;
  - accepting from said user an annotation to said compiler error message;
  - associating said annotation with said compiler error message using a unique key and
  - storing said annotation in said separate empty error file; andthereafter selectively displaying said annotation with said compiler error message.
2. The method of claim 1, said selectively displaying step further comprising the steps of:
  - displaying with said compiler error message indicia representing the existence of said annotation;
  - selectively receiving from said user a request to display said annotation; anddisplaying said annotation with said compiler error message.
3. The method of claim 1, said accepting step further comprising the steps of:
  - selectively presenting to said user an edit panel; and
  - receiving from said user said annotation input associated with said compiler error message to said edit panel.
4. The method of claim 1, further comprising the steps of:
  - selecting a compiler error message having a first key from a first file of compiler error messages for display to said user; and
  - associating in a second file said annotation to [a corresponding] said selected compiler error using a second key message in said first file.

5. The method of claim 4, further comprising the steps of:

providing compiler error message identifying indicia for each compiler error message in said first file;

generating annotation identifying indicia as a function of said compiler error message identifying indicia.

6. The method of claim 4, further comprising the steps of:

upon presenting a compiler error message from said first file, determining the presence of a corresponding annotation in said second file using said second key;

responsive to the presence of said corresponding annotation, displaying with said compiler error message indicia representing the existence of said annotation;

selectively receiving from said user a request to display said annotation; and

responsive to receiving the request from said user, displaying said annotation with said compiler error message using said second key.

7. The method of claim 1, further comprising the steps of:
  - during processing of application code entered by a user, identifying a compiler error in said code;
  - selecting and presenting to said user a compiler error message;
  - identifying and presenting to said user an annotation corresponding to said compiler error message; and
  - enabling and selectively receiving said annotation and a modified annotation from said user for association with said compiler error message.
8. The method of claim 7, further comprising the steps of:
  - preserving a history of compiler error messages presented to said user;
  - enabling user selection one of said compiler error message from said history of compiler error messages; and
  - selectively receiving from said user an annotation to the compiler error message selected from said history.
9. The method of claim 1, further comprising the step of presenting said annotation to other users receiving said compiler error message.
10. The method of claim 4, further comprising the step of enabling access by other users to said second file containing said annotations associated with said compiler error messages.

11. A method for managing compiler error messages in a graphic user interface, comprising the steps of:

selecting and displaying a compiler error message having a separate empty error file to a user;

accepting from said user an annotation to said compiler message;

associating said annotation with said compiler error message and storing said annotation in said separate empty error file using a unique key;

thereafter selectively displaying said annotation with said compiler error message; and

presenting an edit panel in said graphic user interface for user entry of new or modified annotations.

12. A system for managing compiler error messages at a user interface, comprising:

means for displaying a compiler error message having a separate empty error file to a user;

means for accepting from said user an annotation to said compiler error message;

means for associating said annotation with said compiler error message and storing said annotation in said separate empty error file using a unique key; and

means for selectively displaying said annotation with said compiler error message.

13. A system for presenting compiler error messages in a user display, comprising:

a first file for storing a plurality of compiler error messages, each said compiler error message identified by a message key;

a second file for storing a plurality of annotations, each said annotation associated with a corresponding one of said compiler error message;

a first event driven control component for selecting from said first file and displaying a compiler error message from said first file in said user display;

a second event driven control component for determining the presence in said second file of an annotation associated with said displayed compiler error message; and

a third event driven control component for displaying using a unique key said associated annotation in said user display.

14. The system of claim 13, further comprising a fourth control component responsive to entry in said user display of a annotation to a displayed compiler error message, for adding said annotation to said second file using a unique key associated with said displayed compiler error message.
15. (Amended) The system of claim 14, further comprising an editor for receiving via an annotation panel in said user display said annotation.
16. A program storage device readable by a machine, tangibly embodying a program of instructions executable by a machine to perform the method steps for managing compiler error messages of claim 1.

17. A computer program product or computer program element for managing a compiler error message display according to claim 1.

18. An article of manufacture comprising:

a computer useable medium having computer readable program code means embodied therein for managing compiler error messages, the computer readable program means in said article of manufacture comprising:

computer readable program code means for causing a computer to effect displaying a compiler error message to a user having a separate empty error file;

computer readable program code means for causing a computer to effect accepting from said user an annotation to said compiler error message;

computer readable program code means for causing a computer to effect associating said annotation with said compiler error message and storing said annotation in said separate empty error file using a unique key; and

computer readable program code means for causing a computer to effect thereafter selectively displaying said annotation with said compiler error message.

19. The article of manufacture of claim 18, said computer readable program code means for causing a computer to effect selectively displaying further comprising:

computer readable program code means for causing a computer to effect displaying with said compiler error message indicia representing the existence of said annotation;



computer readable program code means for causing a computer to effect selectively receiving from said user a request to display said annotation using a unique key; and

computer readable program code means for causing a computer to effect displaying said annotation with said compiler error message.

20. The article of manufacture of claim 18, said computer readable program code means for causing a computer to effect accepting further comprising:

computer readable program code means for causing a computer to effect selectively presenting to said user an edit panel; and

computer readable program code means for causing a computer to effect receiving from said user said annotation input to said edit panel associated with one of said compiler error messages.

21. The article of manufacture of claim 18, further comprising:

computer readable program code means for causing a computer to effect selecting a compiler error message from a first file of compiler error messages for display to said user; and

computer readable program code means for causing a computer to effect associating in a second file said annotation to a corresponding compiler error message in said first file.

22. The article of manufacture of claim 21, further comprising:

computer readable program code means for causing a computer to effect providing compiler error message identifying indicia for each compiler error message in said first file;

computer readable program code means for causing a computer to effect generating annotation identifying indicia as a function of said compiler error message identifying indicia.

23. The article of manufacture of claim 21, further comprising:

computer readable program code means for causing a computer to effect, upon presenting a compiler error message from said first file, determining the presence of a corresponding annotation in said second file;

computer readable program code means for causing a computer to effect, responsive to the presence of said corresponding annotation, displaying with said compiler error message indicia representing the existence of said annotation;

computer readable program code means for causing a computer to effect selectively receiving from said user a request to display said annotation; and

computer readable program code means for causing a computer to effect responsive to receiving the request from said user, displaying said annotation with said compiler error message.

24. The article of manufacture of claim 18, further comprising:

computer readable program code means for causing a computer to effect, during processing of application code by a compiler entered by a user, identifying [an] a compiler error in said code;

computer readable program code means for causing a computer to effect, selecting and presenting to said user [an] a compiler error message corresponding to said error;

computer readable program code means for causing a computer to effect identifying and presenting to said user an annotation corresponding to said compiler error message; and

computer readable program code means for causing a computer to effect enabling and selectively receiving [an] said annotation and a modified annotation from said user for association with said compiler error message.

25. The article of manufacture of claim 24, further comprising:

computer readable program code means for causing a computer to effect preserving a history of compiler error messages presented to said user;

computer readable program code means for causing a computer to effect enabling user selection of one of said compiler error message from said history of compiler error messages; and

computer readable program code means for causing a computer to effect selectively receiving from said user an annotation to the compiler error message selected from said history.

26. The article of manufacture of claim 18, further comprising computer readable program code means for causing a computer to effect presenting said annotation to other users receiving said compiler error message.

27. The article of manufacture of claim 21, further comprising computer readable program code means for causing a computer to effect enabling access by other users to said second file containing said annotation associated with said compiler error file.

28. An article of manufacture comprising:

a computer useable medium having computer readable program code means embodied therein for managing compiler error messages in a graphic user interface, the computer readable program means in said article of manufacture comprising:

computer readable program code means for causing a computer to effect selecting and displaying a compiler error message having a separate empty error file to a user;

computer readable program code means for causing a computer to effect accepting from said user an annotation to said compiler error message;

computer readable program code means for causing a computer to effect associating said annotation with said compiler error message and storing said annotation in said separate empty error file using a unique key;

computer readable program code means for causing a computer to effect thereafter selectively displaying said annotation with said compiler error message; and

computer readable program code means for causing a computer to effect presenting an edit panel in said graphic user interface for user entry of new or modified annotations.

29. A computer program product for presenting compiler error messages in a user display, comprising:

a first file for storing a plurality of compiler error messages, each said compiler error message identified by a message key;

a second file for storing a plurality of annotations, each said annotation associated with a corresponding one of said compiler error message;

a first event driven control component for selecting from said first file a compiler error message for presentation in said user display;

a second event driven control component for determining the presence in said second file of an annotation associated with said compiler error message; and

a third event driven control component for displaying said associated annotation in said user display.

30. The computer program product of claim 29, further comprising a fourth control component responsive to entry in said user display of an annotation to a displayed compiler error message, for adding said annotation to said second file associated with said displayed compiler error message

presenting an edit panel in said graphic user interface for user entry of new or modified annotations.